




SUNSTREAMER

Sunstream Dealer Newsletter
September 2019

Hurricane Preparation Best Practices



With hurricane season now upon us, here are some best practice tips for securing your Sunstream lifts and Swiftshields.

SunLift:

****It is not recommended to store a boat on a SunLift during a hurricane because excessive tide surge could float the boat off the lift.****

- Lower the lift to the bottom position to safeguard it from floating debris.
- Disconnect hydraulic disconnects from powerpack
- Move powerpack box to safe/ dry place.

FloatLift:

****It is not recommended to store a boat on a FloatLift during a hurricane.****

- Inspect all dock lines securing the FloatLift and replace worn or questionable lines.
- Use additional tie points and redundant dock lines
- Ensure that you have adequate fendering between the Floatlift and the dock.
- Keep powerpack in a place where it will stay out of the water. Ensure that the Powerpack is secured with lag bolts.

NOTE: If you must keep your boat on the FloatLift during a storm, in addition to following the recommendations above to secure the FloatLift, these additional steps can be taken to safeguard your boat as much as possible:

- Ensure that the boat is loaded properly with the waterline even on the floats from front to rear.
- Tie the boat securely to the frame of the Floatlift – Bow and stern.
- Remove all canvas, enclosures, bimini tops, or any other items that will put additional wind load on the boat.

******When reloading the boat afterwards onto a SunLift or FloatLift, please be sure that the boat is not holding excess water or any other debris that might add weight or increase lift capacity requirements beyond range.******


SwiftShield

****It is recommended to remove the cover and store it in a protected, dry area in case of hurricane. If you must keep your cover on the roller, these additional steps can be taken to safeguard the cover and roller much as possible.**

- Run cover system all the way to the forward position, rolling the cover onto the roller.
 - Insert a 3/8" X 5" or longer bolt or screwdriver into the slot on the side of the shark fin and into the track on the roller. This will keep the roller from releasing the spring tension.
 - Disconnect the lanyards from the bow sprit
 - Wrap any excess cover around the roller
 - Using two ropes, Tie the center of the cover tight around the drum of the roller and wrap the excess rope in both directions to the outside of the drum to keep the cover secure on the roller. Use special care to ensure there are no large pieces of fabric that will flap in the wind. Optional: Use a heavy-duty furniture wrap as used for moving to wrap the cover on the roller and further protect the cover from any wind damage.
 - Run the SwiftShield system to the closed/ rear position for storage during the storm. This should be done whether the cover is secured within the roller or removed from the roller. This will ensure that the hydraulics and the system are not under any kind of extra load from the wind and will ensure that the lift is balanced for the storm.
-

New Accessory Alert!

Guide-On Stiffener (SA-GS12), MSRP \$249



Sunstream has just launched the Guide-on Stiffener accessory (SA-GS12), available for ordering now.

This new accessory connects the aft and forward guide-ons to stiffen them and to help prevent the guide-ons from rotating in their clamps upon impact. The guide-on stiffener is compatible with all 12ft SunLift bunks which are on the SL6, SL7 & SL8.

Two stiffeners and connecting hardware included. MSRP \$249.

For more information about the products or news contained in this Sunstreamer, please contact your Regional Sales Manager.

George Zick (North US / Canada)

gzick@sunstreamcorp.com

+1 708 767 3429

Dave Pagliughi (South US)

dpagliughi@sunstreamcorp.com

+1 704 999 4168

Michael Shaffer (West US / Canada and International)

mshaffer@sunstreamcorp.com

+1 253 480 3068



Copyright © 2019 Sunstream Corporation, All rights reserved.

Want to change how you receive these emails?

You can [update your preferences](#) or [unsubscribe from this list](#).

This email was sent to jgazda@sunstreamcorp.com
[why did I get this?](#) [unsubscribe from this list](#) [update subscription preferences](#)
Sunstream · 22149 68th Ave S · Kent, WA 98032-1937 · USA

